

bursa trochanteric anatomy

bursa trochanteric anatomy plays a crucial role in understanding the biomechanics of the hip region and its surrounding structures. The trochanteric bursa is a significant anatomical feature that facilitates movement and reduces friction between the gluteal muscles and the greater trochanter of the femur. This article delves into the detailed anatomy of the bursa trochanteric, its function, clinical significance, common disorders, and treatment options. By examining these facets, readers will gain a comprehensive understanding of bursa trochanteric anatomy and its relevance in both healthy and pathological states.

- Understanding Bursa Trochanteric Anatomy
- Structural Composition of the Bursa Trochanteric
- Functions of the Trochanteric Bursa
- Common Disorders Associated with Bursa Trochanteric
- Diagnosis and Treatment Options
- Conclusion

Understanding Bursa Trochanteric Anatomy

The bursa trochanteric, also known as the greater trochanteric bursa, is located on the lateral aspect of the hip. It is situated between the greater trochanter of the femur and the overlying gluteus medius muscle. The bursa serves as a cushion to reduce friction during movements such as walking, running, and climbing stairs. Understanding the anatomy of this bursa is essential for both clinicians and patients, particularly in the context of hip pain and mobility issues.

Anatomically, the bursa is classified as a synovial bursa, which means it is lined with synovial membrane that secretes synovial fluid. This fluid acts as a lubricant, allowing smooth movement between the underlying bone and overlying muscle. The importance of the bursa cannot be overstated, as it contributes to the overall function and stability of the hip joint.

Structural Composition of the Bursa

Trochanteric

The structural composition of the bursa trochanteric involves several key elements that contribute to its function. The bursa is primarily composed of:

- **Synovial Membrane:** This delicate lining secretes synovial fluid, which lubricates the bursa and reduces friction.
- **Fibrous Capsule:** Surrounding the bursa, this fibrous tissue provides structural support and protection.
- **Surrounding Muscles:** The gluteus medius and gluteus minimus muscles play a significant role in the function of the bursa.
- **Connective Tissue:** Various connective tissues help anchor the bursa to the surrounding structures, ensuring stability during movement.

The bursa is also closely associated with other anatomical features, such as the iliotibial band (IT band), which runs laterally down the thigh. The relationship between these structures is vital for hip motion and can influence the onset of pain or dysfunction in the area.

Functions of the Trochanteric Bursa

The primary function of the trochanteric bursa is to minimize friction between the gluteal muscles and the greater trochanter during hip movements. This function is essential for several reasons:

- **Facilitating Smooth Motion:** By providing a lubricated surface, the bursa allows for fluid movement of the hip joint, especially during activities like walking or running.
- **Shock Absorption:** The bursa acts as a cushion, absorbing shock and reducing the impact on the greater trochanter and surrounding structures.
- **Protection:** It protects the underlying bones and muscles from wear and tear during repetitive movements.

In addition to these mechanical functions, the bursa plays a role in proprioception, helping the body sense its position and movement. This sensory feedback is crucial for maintaining balance and coordination during dynamic activities.

Common Disorders Associated with Bursa Trochanteric

Despite its protective functions, the bursa trochanteric can become inflamed or injured, leading to various disorders. The most common issues include:

- **Trochanteric Bursitis:** This condition involves inflammation of the bursa, often resulting in pain on the outer hip, especially during movement.
- **IT Band Syndrome:** Tightness in the iliotibial band can lead to friction over the bursa, causing pain and discomfort.
- **Traumatic Injury:** Direct trauma to the hip area can result in bursitis or bursae rupture, leading to severe pain and limited mobility.
- **Overuse Injuries:** Repetitive activities, especially those involving the hip, can exacerbate bursa conditions, leading to chronic pain.

Understanding these disorders is crucial for recognizing symptoms early and seeking appropriate medical intervention. The pain is often described as a sharp or aching sensation on the lateral side of the hip, which can radiate down the thigh.

Diagnosis and Treatment Options

Diagnosing conditions related to the bursa trochanteric typically involves a combination of physical examinations, patient history, and imaging studies. Healthcare professionals may perform tests to assess pain location, range of motion, and stability of the hip joint.

Imaging studies, such as ultrasound or MRI, can help visualize inflammation or structural changes in the bursa and surrounding tissues. Once a diagnosis is established, various treatment options are available:

- **Rest and Activity Modification:** Reducing activities that exacerbate symptoms is essential for recovery.
- **Physical Therapy:** Rehabilitation exercises can strengthen surrounding muscles and improve flexibility.
- **Medications:** Non-steroidal anti-inflammatory drugs (NSAIDs) can help relieve pain and reduce inflammation.

- **Corticosteroid Injections:** In some cases, injecting corticosteroids into the bursa can provide significant relief.
- **Surgery:** In severe cases where conservative treatment fails, surgical intervention may be considered to remove the bursa or repair any underlying issues.

Early recognition and intervention are critical for effective management of conditions associated with the bursa trochanteric. With appropriate treatment, patients can often return to their normal activities without pain.

Conclusion

The bursa trochanteric anatomy is integral to hip function and mobility. Understanding its structure, function, and associated disorders provides valuable insights for both healthcare professionals and patients. By recognizing the importance of the trochanteric bursa and the potential complications that can arise, individuals can take proactive steps toward maintaining hip health and addressing any issues that may arise. Awareness of symptoms, coupled with timely diagnosis and treatment, can lead to improved outcomes and quality of life.

Q: What is the bursa trochanteric?

A: The bursa trochanteric, or greater trochanteric bursa, is a fluid-filled sac located between the greater trochanter of the femur and the gluteus medius muscle, serving to reduce friction and facilitate smooth movement of the hip joint.

Q: What causes trochanteric bursitis?

A: Trochanteric bursitis is often caused by inflammation of the bursa due to repetitive hip movements, tightness in the iliotibial band, direct trauma, or overuse injuries, leading to pain and discomfort on the outer hip.

Q: How is trochanteric bursitis diagnosed?

A: Diagnosis typically involves a physical examination, patient history, and imaging studies such as ultrasound or MRI to evaluate inflammation or structural changes in the bursa and surrounding tissues.

Q: What are the treatment options for trochanteric bursitis?

A: Treatment options include rest, physical therapy, medications like NSAIDs, corticosteroid injections, and in severe cases, surgical intervention to alleviate symptoms and restore function.

Q: Can trochanteric bursitis be prevented?

A: Preventive measures include maintaining flexibility and strength in the hip muscles, avoiding repetitive stress on the hip joint, using proper techniques during physical activities, and addressing any underlying biomechanical issues.

Q: Is surgery necessary for all cases of trochanteric bursitis?

A: No, surgery is not necessary for all cases. Most individuals respond well to conservative treatment options, but surgery may be considered if symptoms persist despite comprehensive management.

Q: What role does physical therapy play in treating bursitis?

A: Physical therapy plays a crucial role in treating bursitis by strengthening surrounding muscles, improving flexibility, correcting movement patterns, and reducing pain through targeted exercises and modalities.

Q: How long does recovery from trochanteric bursitis take?

A: Recovery time varies depending on the severity of the condition and the effectiveness of treatment, but most individuals experience significant improvement within a few weeks to several months with appropriate care.

[Bursa Trochanteric Anatomy](#)

Find other PDF articles:

<https://ns2.kelisto.es/anatomy-suggest-006/Book?trackid=Yfn81-0108&title=horse-hoof-anatomy-diagram.pdf>

- bursa trochanteric anatomy:** Anatomy, Descriptive and Applied Henry Gray, 1910
- bursa trochanteric anatomy:** An Atlas of Human Anatomy for Students and Physicians Carl Toldt, 1919
- bursa trochanteric anatomy:** Manual of Anatomy Alexander MacGregor Buchanan, 1917
- bursa trochanteric anatomy:** Atlas and Text-book of Human Anatomy: Bones, ligaments, joints, and muscles Johannes Sobotta, 1906
- bursa trochanteric anatomy:** Anatomy Henry Gray, 1908
- bursa trochanteric anatomy:** The Topographical Anatomy of the Limbs of the Horse Orlando Charnock Bradley, 1920
- bursa trochanteric anatomy:** Atlas and text-book of human anatomy v. 1, 1906 Johannes Sobotta, 1906
- bursa trochanteric anatomy:** Studies from the Dept. of Anatomy , 1917
- bursa trochanteric anatomy:** The Surgical Anatomy of the Horse John T. Share-Jones, 1908
- bursa trochanteric anatomy:** An Atlas of Human Anatomy Carl Toldt, 1904
- bursa trochanteric anatomy:** Anatomy, Descriptive and Surgical Henry Gray, 1908
- bursa trochanteric anatomy:** Studies from the Dept. of Anatomy, University of Illinois College of Medicine, Chicago University of Illinois (Urbana-Champaign campus). College of Medicine. Department of Anatomy, 1917
- bursa trochanteric anatomy:** Morris' Human Anatomy Sir Henry Morris, 1921
- bursa trochanteric anatomy:** Morris's Human Anatomy Sir Henry Morris, Clarence Martin Jackson, 1921
- bursa trochanteric anatomy:** MRI of the Musculoskeletal System Thomas H. Berquist, 2012-09-26 MRI of the Musculoskeletal System, Sixth Edition, comprehensively presents all aspects of MR musculoskeletal imaging, including basic principles of interpretation, physics, and terminology before moving through a systematic presentation of disease states in each anatomic region of the body. Its well-deserved reputation can be attributed to its clarity, simplicity, and comprehensiveness. The Sixth Edition features many updates, including: New pulse sequences and artifacts in the basics chapters Over 3,000 high-quality images including new anatomy drawings and images FREE access to a companion web site featuring full text as well as an interactive anatomy quiz with matching labels of over 300 images.
- bursa trochanteric anatomy:** A Manual of anatomy Henry Erdmann Radasch, 1917
- bursa trochanteric anatomy:** Ultrasonography of the Lower Extremity Ferdinando Draghi, 2019-06-28 This book provides a detailed overview of ultrasound imaging of sport-related injuries of the lower extremity. The available literature focuses mainly on either clinical aspects or all imaging modalities and clinical aspects of sport-related pathologies, with little relevance on ultrasound. Indeed, recent advances in ultrasound technology, including high resolution, electronic, broadband transducers, have led to improved assessment of the musculoskeletal system, and ultrasound is now considered an optimal imaging technique to evaluate musculoskeletal sport-related injuries. Its advantages include the ability to perform dynamic examinations essential for many diagnoses, such as intrasheath instability of the peroneal tendons. Drawing on the author's over 30 years of experience in clinical praxis, this book highlights the great potential of the ultrasonographic evaluation of sports-related injuries and is entirely devoted to this technique. Similar to the two previous monographs by the same author, the book has the form of an atlas-text, with a wealth of high-quality ultrasound images and schemes - a structure that has proved particularly effective for learning, especially for younger physicians. Ultrasonography of the lower extremity: sport-related injuries combines the interests of various specialists, including radiologists, physiatrists, orthopedists, rheumatologists, and ultrasound technicians.
- bursa trochanteric anatomy:** A Text-book of Clinical Anatomy Daniel Nathan Eisendrath, 1907
- bursa trochanteric anatomy:** A Manual of anatomy for senior students Edmund Owen, 1890

bursa trochanteric anatomy: A Text-book of clinical anatomy for students and practitioners Daniel Nathan Eisendrath, 1903

Related to bursa trochanteric anatomy

Bursae: Anatomy, Function, and Treatment - Verywell Health Bursae are fluid-filled sacs that help your joints move glide and slide smoothly. The synovial fluid in a bursa helps to reduce friction in your body

Bursitis - Symptoms and causes - Mayo Clinic Bursae are small fluid-filled sacs that reduce friction between moving parts in your body's joints. Shoulder bursitis is inflammation or irritation of a bursa (shown in blue) in your

Bursitis: Symptoms, Causes, and Treatment - WebMD Bursitis is inflammation or irritation of a bursa sac and is common in adults. This guide provides information to understand and treat it effectively

Ziarul BURSA | 1 day ago BURSA.ro Informație de primă mână, direct de la sursă, relatări riguroase. Actualizare în timp real. Știri din economie, finanțe, afaceri, politică

Bursitis: Types, Treatment & Prevention - Cleveland Clinic Bursitis is painful swelling of a bursa, one of the fluid-filled sacs that cushion spaces between bones, muscles and other tissue inside your body

Bursa - Wikipedia The city is still a major centre for textiles in Turkey and is home to the Bursa International Textiles and Trade Centre (Bursa Uluslararası Tekstil ve Ticaret Merkezi, or BUTTIM)

Bursa: Anatomy, structure and function | Kenhub The bursa is a small sac filled with lubricating fluid present in joints of the body. They are usually found in the synovial joints, between the tendons and bones. The major joints

Bursitis - Johns Hopkins Medicine A bursa is a fluid-filled sac that cushions a joint. When a bursa becomes inflamed, the condition is known as bursitis

Bursitis Guide: Causes, Symptoms and Treatment Options A bursa is a membrane-lined sac near a joint that acts as a cushion between the muscle and bone. The bursa reduces friction caused by movement and makes the joint more

7 Bursitis Types, Symptoms, Causes, Treatment, and Cure A bursa (the plural form is bursae) is a tiny fluid-filled sac that functions as a gliding surface to reduce friction between bone and soft tissues of the body

Bursae: Anatomy, Function, and Treatment - Verywell Health Bursae are fluid-filled sacs that help your joints move glide and slide smoothly. The synovial fluid in a bursa helps to reduce friction in your body

Bursitis - Symptoms and causes - Mayo Clinic Bursae are small fluid-filled sacs that reduce friction between moving parts in your body's joints. Shoulder bursitis is inflammation or irritation of a bursa (shown in blue) in your

Bursitis: Symptoms, Causes, and Treatment - WebMD Bursitis is inflammation or irritation of a bursa sac and is common in adults. This guide provides information to understand and treat it effectively

Ziarul BURSA | 1 day ago BURSA.ro Informație de primă mână, direct de la sursă, relatări riguroase. Actualizare în timp real. Știri din economie, finanțe, afaceri, politică

Bursitis: Types, Treatment & Prevention - Cleveland Clinic Bursitis is painful swelling of a bursa, one of the fluid-filled sacs that cushion spaces between bones, muscles and other tissue inside your body

Bursa - Wikipedia The city is still a major centre for textiles in Turkey and is home to the Bursa International Textiles and Trade Centre (Bursa Uluslararası Tekstil ve Ticaret Merkezi, or BUTTIM)

Bursa: Anatomy, structure and function | Kenhub The bursa is a small sac filled with lubricating fluid present in joints of the body. They are usually found in the synovial joints, between the tendons and bones. The major joints

Bursitis - Johns Hopkins Medicine A bursa is a fluid-filled sac that cushions a joint. When a bursa becomes inflamed, the condition is known as bursitis

Bursitis Guide: Causes, Symptoms and Treatment Options A bursa is a membrane-lined sac near a joint that acts as a cushion between the muscle and bone. The bursa reduces friction caused by movement and makes the joint more

7 Bursitis Types, Symptoms, Causes, Treatment, and Cure A bursa (the plural form is bursae) is a tiny fluid-filled sac that functions as a gliding surface to reduce friction between bone and soft tissues of the body

Bursae: Anatomy, Function, and Treatment - Verywell Health Bursae are fluid-filled sacs that help your joints move glide and slide smoothly. The synovial fluid in a bursa helps to reduce friction in your body

Bursitis - Symptoms and causes - Mayo Clinic Bursae are small fluid-filled sacs that reduce friction between moving parts in your body's joints. Shoulder bursitis is inflammation or irritation of a bursa (shown in blue) in your

Bursitis: Symptoms, Causes, and Treatment - WebMD Bursitis is inflammation or irritation of a bursa sac and is common in adults. This guide provides information to understand and treat it effectively

Ziarul BURSA | 1 day ago BURSA.ro Informație de primă mână, direct de la sursă, relatări riguroase. Actualizare în timp real. Știri din economie, finanțe, afaceri, politică

Bursitis: Types, Treatment & Prevention - Cleveland Clinic Bursitis is painful swelling of a bursa, one of the fluid-filled sacs that cushion spaces between bones, muscles and other tissue inside your body

Bursa - Wikipedia The city is still a major centre for textiles in Turkey and is home to the Bursa International Textiles and Trade Centre (Bursa Uluslararası Tekstil ve Ticaret Merkezi, or BUTTIM)

Bursa: Anatomy, structure and function | Kenhub The bursa is a small sac filled with lubricating fluid present in joints of the body. They are usually found in the synovial joints, between the tendons and bones. The major joints

Bursitis - Johns Hopkins Medicine A bursa is a fluid-filled sac that cushions a joint. When a bursa becomes inflamed, the condition is known as bursitis

Bursitis Guide: Causes, Symptoms and Treatment Options A bursa is a membrane-lined sac near a joint that acts as a cushion between the muscle and bone. The bursa reduces friction caused by movement and makes the joint more

7 Bursitis Types, Symptoms, Causes, Treatment, and Cure A bursa (the plural form is bursae) is a tiny fluid-filled sac that functions as a gliding surface to reduce friction between bone and soft tissues of the body

Bursae: Anatomy, Function, and Treatment - Verywell Health Bursae are fluid-filled sacs that help your joints move glide and slide smoothly. The synovial fluid in a bursa helps to reduce friction in your body

Bursitis - Symptoms and causes - Mayo Clinic Bursae are small fluid-filled sacs that reduce friction between moving parts in your body's joints. Shoulder bursitis is inflammation or irritation of a bursa (shown in blue) in your

Bursitis: Symptoms, Causes, and Treatment - WebMD Bursitis is inflammation or irritation of a bursa sac and is common in adults. This guide provides information to understand and treat it effectively

Ziarul BURSA | 1 day ago BURSA.ro Informație de primă mână, direct de la sursă, relatări riguroase. Actualizare în timp real. Știri din economie, finanțe, afaceri, politică

Bursitis: Types, Treatment & Prevention - Cleveland Clinic Bursitis is painful swelling of a bursa, one of the fluid-filled sacs that cushion spaces between bones, muscles and other tissue inside your body

Bursa - Wikipedia The city is still a major centre for textiles in Turkey and is home to the Bursa International Textiles and Trade Centre (Bursa Uluslararası Tekstil ve Ticaret Merkezi, or BUTTIM)

Bursa: Anatomy, structure and function | Kenhub The bursa is a small sac filled with lubricating fluid present in joints of the body. They are usually found in the synovial joints, between the tendons and bones. The major joints

Bursitis - Johns Hopkins Medicine A bursa is a fluid-filled sac that cushions a joint. When a bursa becomes inflamed, the condition is known as bursitis

Bursitis Guide: Causes, Symptoms and Treatment Options A bursa is a membrane-lined sac near a joint that acts as a cushion between the muscle and bone. The bursa reduces friction caused by movement and makes the joint more

7 Bursitis Types, Symptoms, Causes, Treatment, and Cure A bursa (the plural form is bursae) is a tiny fluid-filled sac that functions as a gliding surface to reduce friction between bone and soft tissues of the body

Bursae: Anatomy, Function, and Treatment - Verywell Health Bursae are fluid-filled sacs that help your joints move glide and slide smoothly. The synovial fluid in a bursa helps to reduce friction in your body

Bursitis - Symptoms and causes - Mayo Clinic Bursae are small fluid-filled sacs that reduce friction between moving parts in your body's joints. Shoulder bursitis is inflammation or irritation of a bursa (shown in blue) in your

Bursitis: Symptoms, Causes, and Treatment - WebMD Bursitis is inflammation or irritation of a bursa sac and is common in adults. This guide provides information to understand and treat it effectively

Ziarul BURSA | 1 day ago BURSA.ro Informație de primă mână, direct de la sursă, relatări riguroase. Actualizare în timp real. Știri din economie, finanțe, afaceri, politică

Bursitis: Types, Treatment & Prevention - Cleveland Clinic Bursitis is painful swelling of a bursa, one of the fluid-filled sacs that cushion spaces between bones, muscles and other tissue inside your body

Bursa - Wikipedia The city is still a major centre for textiles in Turkey and is home to the Bursa International Textiles and Trade Centre (Bursa Uluslararası Tekstil ve Ticaret Merkezi, or BUTTIM)

Bursa: Anatomy, structure and function | Kenhub The bursa is a small sac filled with lubricating fluid present in joints of the body. They are usually found in the synovial joints, between the tendons and bones. The major joints

Bursitis - Johns Hopkins Medicine A bursa is a fluid-filled sac that cushions a joint. When a bursa becomes inflamed, the condition is known as bursitis

Bursitis Guide: Causes, Symptoms and Treatment Options A bursa is a membrane-lined sac near a joint that acts as a cushion between the muscle and bone. The bursa reduces friction caused by movement and makes the joint more

7 Bursitis Types, Symptoms, Causes, Treatment, and Cure A bursa (the plural form is bursae) is a tiny fluid-filled sac that functions as a gliding surface to reduce friction between bone and soft tissues of the body

Related to bursa trochanteric anatomy

What to know about trochanteric bursitis (Medical News Today2y) Trochanteric bursitis occurs when small, fluid-filled sacs in the hip called bursa become irritated. Possible causes include injury, overuse, poor posture, hip replacement surgery, and more. Bursa are

What to know about trochanteric bursitis (Medical News Today2y) Trochanteric bursitis occurs when small, fluid-filled sacs in the hip called bursa become irritated. Possible causes include injury, overuse, poor posture, hip replacement surgery, and more. Bursa are

33 Trochanteric Bursitis - A Misnomer, Gluteal Tendinopathy - Not The Whole Story? (BMJ8mon) Introduction Greater trochanteric pain syndrome (GTPS) is common and can cause significant pain and dysfunction. 3 While both trochanteric bursae and gluteal tendons have been implicated in the

33 Trochanteric Bursitis - A Misnomer, Gluteal Tendinopathy - Not The Whole Story?

(BMJ8mon) Introduction Greater trochanteric pain syndrome (GTPS) is common and can cause significant pain and dysfunction. 3 While both trochanteric bursae and gluteal tendons have been implicated in the

Pain meds, stretching help bursitis (The Spokesman-Review13y) DEAR DOCTOR K: I was just diagnosed with hip bursitis. What will my treatment entail? DEAR READER: Your hip has several fluid-filled sacs, called bursae. They cushion the hip joint. When one of these

Pain meds, stretching help bursitis (The Spokesman-Review13y) DEAR DOCTOR K: I was just diagnosed with hip bursitis. What will my treatment entail? DEAR READER: Your hip has several fluid-filled sacs, called bursae. They cushion the hip joint. When one of these

Explaining greater trochanteric bursitis (Palm Beach Post8y) Question: I have lateral hip pain. Is there a name for this and what's causing it? Answer: Greater trochanteric bursitis is an inflammation of the hip bursa. The greater trochanter bursa is located on

Explaining greater trochanteric bursitis (Palm Beach Post8y) Question: I have lateral hip pain. Is there a name for this and what's causing it? Answer: Greater trochanteric bursitis is an inflammation of the hip bursa. The greater trochanter bursa is located on

Overview of Greater Trochanteric Pain Syndrome (Healthline2y) Greater trochanter pain syndrome (GTPS) is a common cause of pain in your outer thigh. It refers to a group of conditions that cause pain near the top of your femur. GTPS used to be called greater

Overview of Greater Trochanteric Pain Syndrome (Healthline2y) Greater trochanter pain syndrome (GTPS) is a common cause of pain in your outer thigh. It refers to a group of conditions that cause pain near the top of your femur. GTPS used to be called greater

The information - Trochanteric bursitis (Pulse13y) A 62-year-old woman presents convinced that she is suffering - as her mother did - from osteoarthritis of the hip. She has been experiencing persistent pain over her right lateral thigh for a few

The information - Trochanteric bursitis (Pulse13y) A 62-year-old woman presents convinced that she is suffering - as her mother did - from osteoarthritis of the hip. She has been experiencing persistent pain over her right lateral thigh for a few

Dr. Roach: Find specialist for trochanteric bursitis (Lubbock Avalanche-Journal10y) Dear Dr. Roach: I am a 78-year old woman with longstanding trochanteric bursitis. I am always offered cortisone injections, and most of them have not worked. When they did, they were short-lasting

Dr. Roach: Find specialist for trochanteric bursitis (Lubbock Avalanche-Journal10y) Dear Dr. Roach: I am a 78-year old woman with longstanding trochanteric bursitis. I am always offered cortisone injections, and most of them have not worked. When they did, they were short-lasting

Greater trochanteric pain syndrome (GTPs) (The Daytona Beach News-Journal6y) Tammy, a 35-year-old woman, gradually developed an aching pain in her right lateral hip. Her hip pain worsens when lying on the right side; however, she has no pain in the groin. The hip, a

Greater trochanteric pain syndrome (GTPs) (The Daytona Beach News-Journal6y) Tammy, a 35-year-old woman, gradually developed an aching pain in her right lateral hip. Her hip pain worsens when lying on the right side; however, she has no pain in the groin. The hip, a

Find a specialist for trochanteric bursitis (Sun Journal10y) You are able to gift 5 more articles this month. Anyone can access the link you share with no account required. Learn more. DEAR DR. ROACH: I am a 78-year old woman with longstanding trochanteric

Find a specialist for trochanteric bursitis (Sun Journal10y) You are able to gift 5 more articles this month. Anyone can access the link you share with no account required. Learn more. DEAR DR. ROACH: I am a 78-year old woman with longstanding trochanteric